



STEEL CATWALK

PRODUCT OVERVIEW

The **Steelwalk Catwalk System** is secured to the roof using **SC-8 non-penetrating clamps**, specially designed for standing seam metal roofing panels.

It provides a **safe, non-slip surface** for walking and performing maintenance tasks, such as servicing **A/C units, exhaust fans, and rooftop equipment**.



- ✓ Non-penetrating clamps
- ✓ Safe walking surface
- ✓ Ideal for rooftop maintenance



STEEL CATWALK

MAIN FEATURES

- Available in widths: 12", 24", 36", 48"
- Manufactured from 14, 16, or 18-gauge galvanized steel
- Quick and easy installation
- No perforations required on standing seam roofing
- **Maintenance-free** solution
- Optional **safety rail** available
- Specially designed **clamps** for different panel types



STEEL CATWALK

DISCLAIMER

Drawing provided is **for visual and conceptual reference only**.

It is **not to scale** and is based on nominal manufacturing data, subject to standard production tolerances.

SteelCom USA does **not provide engineering services** of any kind.

All technical information is intended **for evaluation by qualified professionals only**, and its use is at their sole discretion and risk.


SteelCom USA assumes **no liability** for results obtained or damages caused by improper use.

All documents are subject to **SteelCom USA Terms & Conditions**.



STEEL CATWALK

TECHNICAL DATA



Specification	Details
Widths	12", 24", 36", 48"
Material	Galvanized Steel /14,, 16, 18 gauge)
Installation	SC-8 non-penetrating clamps
Options	Safety rail, custom clamps
Surface	Non-slip, maintenance-free

